

1/63




FIG. 1A1




FIG. 1A2

2/63




FIG. 1A3




FIG. 1B




Fig. 1C




FIG. 1D

6/63











FIG. 2C


7/63




8/63



9/63
2nd



3rd



10/63
4/4





FIG. 3A

FIG. 3B

FIG. 3B

12/63
613



13/63

7/3




FIG. 4A

14/63

8/13




FIG. 4B

15/63

9/13




FIG. 4C

16/63

10th

Automatic Bar Code Reading System With
2-Way RF Communication Link




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D

17/63

Protracted Configuration




FIG. 5E

Protracted Configuration




FIG. 5F

18/63




FIG. 5G.




FIG. 5H

19/63




FIG. 5I




FIG. 5J

20/63




FIG. 6A

21/63




FIG. 6B




FIG. 6E





FIG. 6F

23/63



24/63

FIG. 7E





FIG. 7F



25/63




FIG. 8A




FIG. 8B




FIG. 8C

26/63




FIG. 9A




FIG. 9B

27/63




FIG. 10A1

28/63




FIG. 10A2

29/63




FIG. 10A3

30/63




FIG. 10A4

31/63






FIG. 10B1

32/b3



33/63




FIG 10D




FIG. 10E

34/63




FIG. 10F

35/63




FIG. 10G

36/63

$$\left. \begin{aligned} E_0 &= (B_1 + A_0)(C_3 / C_{1-1}) \\ E_1 &= (C_3 / C_{1-2}) + B_1 \\ E_2 &= (C_2 / C_1)(T_1) \end{aligned} \right\}$$

FIG. 10H




FIG. 10I


$$37 \overline{) 63}$$


FIG. 10J




FIG. 10K

38/63




FIG. 10L




FIG. 10M

C_3/C_2	A_2	E_3	C_2/C_1
0	0	0	0
0	1	1	0
1	X	1	1

X: DON'T CARE (I.E. C_3/C_2 OVERRIDES A_2)

FIG. 10N

(air Interface)

39/63




FIG. 100




FIG. 11

41/63




FIG. 12

42/63




FIG. 13A1




FIG. 13A2

43/63

DATA PACKET TRANSMISSION VIA 2-WAY RF WITH
AUTOMATIC RF-RANGE DEPENDENT CONTROL




FIG. 14A1

44/63





FIG. 14A2

45/63



46/63




FIG. 14C1

47/63




FIG. 14C2

48/63




FIG. 14C3

49/63




FIG. 14C4

50/63




FIG. 15

51/63






FIG. 16





54/63





FIG. 17A3

55/63



56/63




FIG. 17B

57/63

PDF DATA PACKET TRANSMISSION VIA 2-WAY RF WITH
AUTOMATIC RF-RANGE DEPENDENT CONTROL
(2-D READING MODE)




FIG. 18A1

58/63




FIG. 18A2

59/63




FIG. 18B

60/63




FIG. 18C

61/63




FIG. 18C2

62/63




FIG. 18C3

63/63




FIG. 18C4